

# PRO4400 PRO4400BN



## 8" Single Handle Kitchen Faucet<sup>+</sup>


### Features:

- Solid brass/copper waterways
- Fits 8" center hole
- Ceramic Disc cartridge
- ½" 14 NPSM Inlet
- Metal lever handle
- 100% factory pressure tested



### Applicable Standards/Codes:

Specified model meets or exceeds the following:

- ANSI/ASME A112.18.1
- CSA B125
- ANSI/NSF 61 – Sec. 9
- IAPMO/UPC/AB1953
- ADA Compliant 

### Available finishes:

- CP = Polished Chrome
- BN = Brushed Nickel


### Specified model:

| Model     | Description                     | Finish |
|-----------|---------------------------------|--------|
| PRO4400   | 8"single handle kitchen Faucet, | CP     |
| PRO4400BN | 8"single handle kitchen Faucet, | BN     |

# PRO4400 PRO4400BN




## Product Specification Diagram



PRO4400  
PRO4400BN



### Exploded Drawing



**PRO4400**  
**PRO4400BN**



**Parts Listing**

| <b>No.</b> | <b>Part Name</b>           | <b>Part No.</b> |
|------------|----------------------------|-----------------|
| 1          | Metal Handle Assembly      | A66E577         |
| 2          | Locking Nut                | A104333         |
| 3          | Ceramic Disc Cartridge     | A507348N-32     |
| 4          | Spout Seal Kit             | A66D509         |
| 5          | Spout Base                 | A000092         |
| 6          | Spout                      | A139893         |
| 7          | Hose Guide                 | A126048KP       |
| 8          | Hand Spray w/Check Valve   | A528007W        |
| 9          | Cover Plate & Putty Plate  | A66F105         |
| 10         | Mounting Hardware Assembly | A663134         |
| 11         | Hose Adaptor Assembly      | A66G142N        |
| 12         | Weight                     | A504713         |
| 13         | Spray Hose                 | A514001WGR      |
| 14         | Wrench                     | A031237GR       |
| 15         | Wrench (H2.5 * L * 53mmL)  | A031000NI       |
| 16         | Flow Restrictor            | A519234N        |